



USN

--	--	--	--	--	--	--	--	--	--

15CS/IS54

Fifth Semester B.E. Degree Examination, July/August 2021 Automata Theory and Computability


Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions.


- 1 a. Design a DFSM to accept $L = \{w \in \{0, 1\}^* : w \text{ contains even } 0\text{'s and even } 1\text{'s}\}$. Show that the string 101011 is accepted. (05 Marks)
- b. Construct equivalent DFSM for the given NDFSM in Fig.Q.1(b). (05 Marks)

Fig.Q.1(b)




- c. Obtain the minimal (minimized) DFSM for the given existing DFSM in Fig.Q.1(c). (06 Marks)

Fig.Q.1(c)



- 2 a. Construct DFSM to accept $L = \{w \in \{a, b\}^* : w \text{ does not contain substring } aab\}$. (05 Marks)
- b. Obtain the minimal DFSM from the existing DFSM in Fig.Q.2(b). (08 Marks)


Fig.Q.2(b)



- c. Let $L_1 = \{\text{peach, apple, cherry}\}$ and $L_2 = \{\text{pie, cobbler, } \epsilon\}$. List all the elements of L_1L_2 in lexicographic order. (03 Marks)

- 3 a. Define Regular Expression (RE) and write RE for $L = \{w \in \{0, 1\}^* : W \text{ contains odd number of } 0\text{'s}\}$. (04 Marks)
- b. Build a FSM for the RE $(a \cup b)^* \cdot abb$. (03 Marks)
- c. Build a RE for the given FSM in Fig.Q.3(c). (06 Marks)

Fig.Q.3(c)



- d. Show that regular languages are closed under intersection. (03 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and /or equations written eg. 42+8 = 50, will be treated as malpractice.

- 4 a. State and prove pumping theorem for regular languages. (06 Marks)
 b. Construct regular grammar G for $L = \{w \in \{a, b\}^* : w \text{ ends with the pattern } aaaa\}$. Also generate FSM M that accepts $L(G)$. (05 Marks)
 c. Show that $L = \{a^n b^n : n \geq 0\}$ is not regular. (05 Marks)
- 5 a. Define Context Free Grammar (CFG). Design CFG for $L = \{w \in \{a, b\}^* : \#_a(w) = \#_b(w)\}$ (04 Marks)
 b. Is the balanced parenthesis grammar (BAL) $S \rightarrow SS | (S) | \epsilon$ is ambiguous. If so, obtain unambiguous grammar. (07 Marks)
 c. Design a PDA for $L = \{wCw^R : w \in \{0, 1\}^*\}$. (05 Marks)
- 6 a. Convert the grammar to Chomsky Normal Form (CNF).
 $S \rightarrow aACa$
 $A \rightarrow B|a$
 $B \rightarrow C|c$
 $C \rightarrow cC|\epsilon$ (06 Marks)
 b. Design PDA for $L = \{ww^R : w \in \{a, b\}^*\}$. (05 Marks)
 c. Obtain LMD, RMD and parse tree for the string “+ * - xyxy” using the rules:
 $E \rightarrow +EE | *EE | -EE | x|y$ (05 Marks)
- 7 a. Show that $L = \{0^n 1^n 2^n : n \geq 0\}$ is not context free. (05 Marks)
 b. Design a Turing machine to accept $L = \{0^n 1^n : n \geq 1\}$ show moves for string 0011. (07 Marks)
 c. Prove that context free languages are closed under union. (04 Marks)
- 8 a. State and prove pumping theorem for context free language. (05 Marks)
 b. Design a Turing machine which can multiply two positive integers (m, n) . (07 Marks)
 c. Define deterministic context free language and show that deterministic CFL are not closed under intersection. (04 Marks)
- 9 a. Define Post Correspondence Problem (PCP). Does the PCP with two lists.
 $X = \{b, bab^3, ba\}$ and
 $Y = \{b^3, ba, a\}$ have a solution. (06 Marks)
 b. If L is recursive language over Σ , show that \bar{L} is also recursive. (06 Marks)
 c. Let $f(n) = 4n^3 + 5n^2 + 7n + 3$ prove that $f(n) = O(n^3)$. (04 Marks)
- 10 a. Prove that the Turing machine M that halts on input w is undecidable. (05 Marks)
 b. Explain the model of Linear Bounded Automata (LBA), with a neat diagram. (05 Marks)
 c. Write short notes on:
 i) Quantum computers
 ii) Church Turing thesis. (06 Marks)

* * * * *