


c. Obtain RE from the following FSM. (Refer Fig.Q4(c))



(05 Marks)

(06 Marks)

15CS54

IBRAF

## <u>Module-3</u>

5 a. Define context free grammar and write CFG for the following languages:

(i)  $L = \{a^i b^j c^k : i + j = k, i \ge 0, j \ge 0\}$ 

(ii)  $L = \{a^n b^m c^k : n + 2m = k\}$ 

b. Consider the grammar G, with productions:  $S \rightarrow AbB$  $A \rightarrow aA|\in$ 

 $A \rightarrow aA \in$ 

6

 $B \to aB|bB| \in$ 

Give the left most derivation, rightmost derivation and parse tree for the string aaabab.

 c. What is agbigous grammar? Prove that the following grammar is ambiquus on the string aab. G: S →aS|aSbS|∈
(04 Marks)

#### OR

- a. Build a PDA to accept delimiters or balanced paranthesis having paranthesis  $\{, (, ), \}$ .
  - b. Explain the following terms: (i) Pushdown Automata (PDA) (ii) Languages of a PDA
  - (04 Marks)
  - c. Obtain a CFG for PDA M with the transitions:  $\delta(q_0, a, Z) = (q_0, AZ)$

 $\delta(q_0, b, A) = (q_0, AA)$ 

 $\delta(\mathbf{q}_0, \mathbf{a}, \mathbf{A}) = (\mathbf{q}_1, \boldsymbol{\epsilon})$ 

### Module-4

7a. State and prove pumping Lemma for context free languages.(06 Marks)b. Prove that  $L = \{w \in \{a, b, c\}^*$  where  $n_a(w) = n_b(w) = n_c(w)\}$  is not context free.(04 Marks)c. Prove that the Context Free Languages are closed under, union and concatenation.(06 Marks)

### OR

8a. With a neat diagram, explain the working of a basic TM.(06 Marks)b. Design a TM to accept the following language  $L = \{0^n 1^n 2^n | n \ge 1\}$ (10 Marks)

# Module-5

- 9 Write short notes on:
  - a. Multi Tape TM
  - b. Non Deterministic TM 🤇
  - c. Post Correspondence Problem

(16 Marks)

(04 Marks)

### OR

- 10 a. Prove that every Language accepted by a multitape TM is accepted by standard TM with single tape. (06 Marks)
  - b. Write note on: (i) Linear Bounded Automata (ii) Recursive Language (10 Marks)